

Laboratory Reference Number: CK/24080368,MK/24080353
16th/August/2024

Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan,
Pejabat Kesihatan Daerah Hulu Langat,
Lot 7523, Jalan Hentian 1C,
43558 Kajang, Selangor Darul Ehsan.

For company:
BOOHACI INFINITY SDN BHD

CERTIFICATE OF ANALYSIS

The following is a laboratory report on the analysis of one sample stated to be "*Spicy Flavour 26d24cp6*",
No Rujukan Sample: PKD/B/39/MA/AE/00033/2024, which was received from the Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan, Pejabat Kesihatan Daerah Hulu Langat, Lot 7523, Jalan Hentian 1C, 43558 Kajang,
Selangor Darul Ehsan. No. Rujukan Pejabat: KKM.100-11/3/198 JLD.1841 (079) received on AUGUST 08th, 2024.

<u>PARAMETERS</u>	<u>RESULTS</u>	<u>TEST METHOD USED</u>
<u>Chemical/Physical Test</u>		
Lead, (mg/kg)	: ND(<0.1)	In-house method CCF-03, based on AOAC 999.11 and APHA 3120 B
Arsenic, (mg/kg)	: ND(<0.01)	In-house method CCF-05, based on AOAC 986.15 and APHA 3120 B
<u>Microbiological Test</u>		
Total Plate Count, (CFU/gm)	: 6.9 x 10 ³	FDA-BAM, Chapter 3
Coliform, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
E. coli, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
<i>Staphylococcus aureus</i> , (CFU/gm)	: NG (< 10)	FDA-BAM Chapter 12

Remarks :
AOAC - Association of Official Analytical Chemists, 18th Edition, 2005. (Revision 3, 2010)
* Not Accredited
#Externally provided and accredited (SAMM 336)



CHING WAI LOUNG, Chemist
BSc. MMIC (M/1257/4064/00/01)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



NUR ATIKAH NADIA
Microbiologist (MJ MM 001327)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



HQ - Kedah (SAMM NO.336)

Lot 1109, Mk. Malau, Daerah Kubang Pasu, 06000 Jitra, Kedah Darul Aman.
Tel : 04-916 1288 / 2688 Fax : 04-917 3610 / 1698

Northern Region Lab (SAMM NO.822)

No. 24, Jalan Kelisa Emas, Taman Kelisa Emas, 13700 Seberang Jaya, Penang.
Tel : 04-384 1539 / 1540 Fax : 04-384 1537

Southern Region Lab (SAMM NO.877)

No. 7, Jalan Mutiara Emas 6/1A, Taman Mount Austin, 81100 Johor Bahru, Johor.
Tel : 07-351 8666 Fax : 07-359 5353

ND denotes Not Detected | NG denotes No Growth | (< Numeric number) denotes detection limits |
Symbol * denotes parameter which is not accredited

This report applies and refers only to the sample of the specific test article submitted by the Client at the time of testing as indicated. The result shall NOT be used to indicate or implicate that they are applicable to other similar articles/products not subjected to test. This document shall be governed and subjected to Terms and Conditions as attached; with limitation of liability, indemnification and jurisdiction issues defined therein. Certificate is strictly not for republication, circulation, advertising or any legal proceeding purposes and shall NOT be reproduced except in full without prior written consent and approval of the laboratory.

ORIGINAL

Laboratory Reference Number: CK/24080361,MK/24080346
16th/August/2024

Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan,
Pejabat Kesihatan Daerah Hulu Langat,
Lot 7523, Jalan Hentian 1C,
43558 Kajang, Selangor Darul Ehsan.

For company:
BOOHACI INFINITY SDN BHD

CERTIFICATE OF ANALYSIS

The following is a laboratory report on the analysis of one sample stated to be "Original Flavour 25d24cp6",
No Rujukan Sample: PKD/B/39/MA/AE/00032/2024, which was received from the Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan, Pejabat Kesihatan Daerah Hulu Langat, Lot 7523, Jalan Hentian 1C, 43558 Kajang,
Selangor Darul Ehsan. No. Rujukan Pejabat: KKM.100-11/3/198 JLD.1841 (077) received on AUGUST 08th, 2024.

<u>PARAMETERS</u>	<u>RESULTS</u>	<u>TEST METHOD USED</u>
<u>Chemical/Physical Test</u>		
Lead, (mg/kg)	: ND(<0.1)	In-house method CCF-03, based on AOAC 999.11 and APHA 3120 B
Arsenic, (mg/kg)	: ND(<0.01)	In-house method CCF-05, based on AOAC 986.15 and APHA 3120 B
<u>Microbiological Test</u>		
Total Plate Count, (CFU/gm)	: 20	FDA-BAM, Chapter 3
Coliform, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
E. coli, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
<i>Staphylococcus aureus</i> ,(CFU/gm)	: NG (< 10)	FDA-BAM Chapter 12

Remarks :
AOAC – Association of Official Analytical Chemists, 18th Edition, 2005. (Revision 3, 2010)
* Not Accredited
#Externally provided and accredited (SAMM 336)


CHING WAI LOUNG, Chemist
BSc. MMIC (M/1257/4064/00/01)
Bio Synergy Laboratories Sdn Bhd
(Central Region)


NUR ATIRAH NADIA
Microbiologist (MUMM 001327)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



HQ - Kedah (SAMM NO.336)

Lot 1109, Mk. Malau, Daerah Kubang Pasu, 06000 Jitra, Kedah Darul Aman.
Tel : 04-916 1288 / 2688 Fax : 04-917 3610 / 1698

Northern Region Lab (SAMM NO.822)

No. 24, Jalan Kelisa Emas, Taman Kelisa Emas, 13700 Seberang Jaya, Penang.
Tel : 04-384 1539 / 1540 Fax : 04-384 1537

Southern Region Lab (SAMM NO.877)

No. 7, Jalan Mutiara Emas 6/1A, Taman Mount Austin, 81100 Johor Bahru, Johor.
Tel : 07-351 8666 Fax : 07-359 5353

ND denotes Not Detected | NG denotes No Growth | (< Numeric number) denotes detection limits |
Symbol * denotes parameter which is not accredited

ORIGINAL

This report applies and refers only to the sample of the specific test article submitted by the Client at the time of testing as indicated. The result shall NOT be used to indicate or implicate that they are applicable to other similar articles/products not subjected to test. This document shall be governed and subjected to Terms and Conditions as attached; with limitation of liability, indemnification and jurisdiction issues defined therein. Certificate is strictly not for republication, circulation, advertising or any legal proceeding purposes and shall NOT be reproduced except in full without prior written consent and approval of the laboratory.

Laboratory Reference Number: CK/24080362,MK/24080347
16th/August/2024

Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan,
Pejabat Kesihatan Daerah Hulu Langat,
Lot 7523, Jalan Hentian 1C,
43558 Kajang, Selangor Darul Ehsan.

For company:
BOOHACI INFINITY SDN BHD

CERTIFICATE OF ANALYSIS

The following is a laboratory report on the analysis of one sample stated to be “*Cheese Flavour 28d24cp6*”,
No Rujukan Sample: PKD/B/39/MA/AE/00030/2024, which was received from the Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan, Pejabat Kesihatan Daerah Hulu Langat, Lot 7523, Jalan Hentian 1C, 43558 Kajang,
Selangor Darul Ehsan. No. Rujukan Pejabat: KKM.100-11/3/198 JLD.1841 (075) received on AUGUST 08th, 2024.

<u>PARAMETERS</u>	<u>RESULTS</u>	<u>TEST METHOD USED</u>
<u>Chemical/Physical Test</u>		
Lead, (mg/kg)	: ND(<0.1)	In-house method CCF-03, based on AOAC 999.11 and APHA 3120 B
Arsenic, (mg/kg)	: ND(<0.01)	In-house method CCF-05, based on AOAC 986.15 and APHA 3120 B
<u>Microbiological Test</u>		
Total Plate Count, (CFU/gm)	: 4.1 x 10 ³	FDA-BAM, Chapter 3
Coliform, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
E. coli, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
<i>Staphylococcus aureus</i> ,(CFU/gm)	: NG (< 10)	FDA-BAM Chapter 12

Remarks :
AOAC – Association of Official Analytical Chemists, 18th Edition, 2005. (Revision 3, 2010)
* Not Accredited
#Externally provided and accredited (SAMM 336)



CHING WAI LOUNG, Chemist
BSc. MMIC (M/1257/4064/00/01)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



NUR ATIKAH NADIA
Microbiologist (MJMM 001327)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



ND denotes Not Detected | NG denotes No Growth | (< Numeric number) denotes detection limits |
Symbol * denotes parameter which is not accredited

ORIGINAL

This report applies and refers only to the sample of the specific test article submitted by the Client at the time of testing as indicated. The result shall NOT be used to indicate or implicate that they are applicable to other similar articles/products not subjected to test. This document shall be governed and subjected to Terms and Conditions as attached; with limitation of liability, indemnification and jurisdiction issues defined therein. Certificate is strictly not for republication, circulation, advertising or any legal proceeding purposes and shall NOT be reproduced except in full without prior written consent and approval of the laboratory.

HQ - Kedah (SAMM NO.336)

Lot 1109, Mk. Malau, Daerah Kubang Pasu, 06000 Jitra, Kedah Darul Aman.
Tel : 04-916 1288 / 2688 Fax : 04-917 3610 / 1698

Northern Region Lab (SAMM NO.822)

No. 24, Jalan Kelisa Emas, Taman Kelisa Emas, 13700 Seberang Jaya, Penang.
Tel : 04-384 1539 / 1540 Fax : 04-384 1537

Southern Region Lab (SAMM NO.877)

No. 7, Jalan Mutiara Emas 6/1A, Taman Mount Austin, 81100 Johor Bahru, Johor.
Tel : 07-351 8666 Fax : 07-359 5353

Laboratory Reference Number: CK/24080366,MK/24080351
16th/August/2024

Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan,
Pejabat Kesihatan Daerah Hulu Langat,
Lot 7523, Jalan Hentian 1C,
43558 Kajang, Selangor Darul Ehsan.


For company:
BOOHACI INFINITY SDN BHD

CERTIFICATE OF ANALYSIS

The following is a laboratory report on the analysis of one sample stated to be "Blackpepper Flavour 27d24cp6",
No Rujukan Sample: PKD/B/39/MA/AE/00035/2024, which was received from the Penolong Pegawai Kesihatan Persekitaran
Unit Keselamatan dan Kualiti Makanan, Pejabat Kesihatan Daerah Hulu Langat, Lot 7523, Jalan Hentian 1C, 43558 Kajang,
Selangor Darul Ehsan. No. Rujukan Pejabat: KKM.100-11/3/198 JLD.1841 (082) received on AUGUST 08th, 2024.

<u>PARAMETERS</u>	<u>RESULTS</u>	<u>TEST METHOD USED</u>
<u>Chemical/Physical Test</u>		
Lead, (mg/kg)	: ND(<0.1)	In-house method CCF-03, based on AOAC 999.11 and APHA 3120 B
Arsenic, (mg/kg)	: ND(<0.01)	In-house method CCF-05, based on AOAC 986.15 and APHA 3120 B
<u>Microbiological Test</u>		
Total Plate Count, (CFU/gm)	: 2.8 x 10 ⁵	FDA-BAM, Chapter 3
Coliform, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
E. coli, (CFU/gm)	: NG (< 10)	FDA BAM Chapter 4
<i>Staphylococcus aureus</i> , (CFU/gm)	: NG (< 10)	FDA-BAM Chapter 12

Remarks :
AOAC - Association of Official Analytical Chemists, 18th Edition, 2005. (Revision 3, 2010)
* Not Accredited
#Externally provided and accredited (SAMM 336)



CHING WAI LOUNG, Chemist
BSc. MMIC (M/1257/4064/09/01)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



NUR ATIKAH NADIA
Microbiologist (M/MM 001327)
Bio Synergy Laboratories Sdn Bhd
(Central Region)



ND denotes Not Detected | NG denotes No Growth | (< Numeric number) denotes detection limits |
Symbol * denotes parameter which is not accredited

ORIGINAL

This report applies and refers only to the sample of the specific test article submitted by the Client at the time of testing as indicated. The result shall NOT be used to indicate or implicate that they are applicable to other similar articles/products not subjected to test. This document shall be governed and subjected to Terms and Conditions as attached; with limitation of liability, indemnification and jurisdiction issues defined therein. Certificate is strictly not for republication, circulation, advertising or any legal proceeding purposes and shall NOT be reproduced except in full without prior written consent and approval of the laboratory.

HQ - Kedah (SAMM NO.336)

Lot 1109, Mk. Malau, Daerah Kubang Pasu, 06000 Jitra, Kedah Darul Aman.
Tel : 04-916 1288 / 2688 Fax : 04-917 3610 / 1698

Northern Region Lab (SAMM NO.822)

No. 24, Jalan Kelisa Emas, Taman Kelisa Emas, 13700 Seberang Jaya, Penang.
Tel : 04-384 1539 / 1540 Fax : 04-384 1537

Southern Region Lab (SAMM NO.877)

No. 7, Jalan Mutiara Emas 6/1A, Taman Mount Austin, 81100 Johor Bahru, Johor.
Tel : 07-351 8666 Fax : 07-359 5353